




alpine


Simply chic; our functional polar white design has a modern semi-slim profile (6.5mm depth) with screwless plate for a clean looking interior.



Premium bakelite wall plates that are scratch and corrosion resistant, fire retardant, durable and with colours that do not fade



Extra pair of screw caps hidden behind the front plate



Polar white design with modern semi-slim profile (6.5 mm depth)



Smooth action convex-faced rocker style switch.




B2511
10A 1 Gang 1 Way Switch



B8513SL
13A 1 Gang Switched Socket with neon



B2513
10A 3 Gang 1 Way Switch



B8513D
13A 2 Gang Socket



B2545L
45A 1 Gang DP Switch with neon











B211-M2
630W 230V 1 Gang Dimmer





B802TV-FM
1 Gang TV + FM Socket
with surge protection




B2521-250
250W 230V 1 Gang 1 Way Dimmer


Switches			
Product	Model No.	Description	Remarks
	B2551 B2551-2	10A 1 Gang 1 Way Switch 10A 1 Gang 2 Way Switch	Nominal plate size: 86×33 mm Minimum wall box depth: 25 mm Pack (carton / box): 200 / 10
	B2552 B2552-2	10A 2 Gang 1 Way Switch 10A 2 Gang 2 Way Switch	Nominal plate size: 146×33 mm Minimum wall box depth mm :25 Pack (carton / box): 200 / 10
	B2511 B2511-2 B2520 B2515 B2505-2 B2520FO B2532 B2532FO	10A 1 Gang 1 Way Switch 10A 1 Gang 2 Way Switch 20A 1 Gang DP Switch 10A 1 Gang Intermediate Switch 15A 1 Gang 2 Way Switch 20A 1 Gang DP Switch with flex outlet 32A 1 Gang DP Switch 32A 1 Gang DP Switch with flex outlet	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10
	B2520L B2520LFO B2532L B2532LFO	20A 1 Gang DP Switch with neon 20A 1 Gang DP Switch with flex outlet + neon 32A 1 Gang DP Switch with neon 32A 1 Gang DP Switch with flex outlet + neon	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10
	B2512 B2512-2	10A 2 Gang 1 Way Switch 10A 2 Gang 2 Way Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10
	B2513 B2513-2 B2203 B2203-2	10A 3 Gang 1 Way Switch 10A 3 Gang 2 Way Switch 20A 3 Gang 1 Way Switch 20A 3 Gang 2 Way Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10
	B2561 B2561-2	10A 1 Gang 1 Way Switch 10A 1 Gang 2 Way Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10
	B2562 B2562-2	10A 2 Gang 1 Way Switch 10A 2 Gang 2 Way Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10
	B2563 B2563-2	10A 3 Gang 1 Way Switch 10A 3 Gang 2 Way Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10
	B2564 B2564-2	10A 4 Gang 1 Way Switch 10A 4 Gang 2 Way Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10

Switches			
Product	Model No.	Description	Remarks
	B2565 B2565-2	10A 5 Gang 1 Way Switch 10A 5 Gang 2 Way Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10
	B2514 B2514-2	10A 4 Gang 1 Way Switch 10A 4 Gang 2 Way Switch	Nominal plate size: 146×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 5
	B2516 B2516-2	10A 6 Gang 1 Way Switch 10A 6 Gang 2 Way Switch	Nominal plate size: 146×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 5
	B2223-DP	20A 1 Gang DP Switch with lock	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10
	B2517	10A 1 Gang 3 Pole Fan Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10
	B2545	45A 1 Gang DP Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 100 / 10
	B2545L	45A 1 Gang DP Switch with neon	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 100 / 10
	B2545D	45A 1 Gang DP Switch (146 type)	Nominal plate size: 146×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 5
	B2545DL	45A 1 Gang DP Switch with neon (146 type)	Nominal plate size: 146×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 5
	B2548	45A Cooker Control Unit + 13A Switched Socket	Nominal plate size: 146×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 5
	B2548L	45A Cooker Control Unit + 13A Switched Socket with neon	Nominal plate size: 146×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 5

Retractive Switches			
Product	Model No.	Description	Remarks
	B2551B	10A 1 Gang 1 Way Bell Switch	Nominal plate size: 86×33 mm Minimum wall box depth: 25 mm Pack (carton / box): 200 / 10
	B2510B B2510B-2	10A 1 Gang 1 Way Bell Switch 10A 1 Gang 2 Way Bell Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10
	B2510 B2510-2	10A 1 Gang 1 Way Retractive Switch 10A 1 Gang 2 Way Retractive Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10

Dimmers			
Product	Model No.	Description	Remarks
	B2521-250 B2521-2-250 B2521-400 B2521-2-400	250W 230V 1 Gang 1 Way Dimmer (rotate on / off) 250W 230V 1 Gang 2 Way Dimmer (push on / off) 400W 230V 1 Gang 1 Way Dimmer (rotate on / off) 400W 230V 1 Gang 2 Way Dimmer (push on / off)	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 100 / 10 Only for use with incandescent lamps
	B2522-250 B2522-2-250 B2522-400 B2522-2-400	250W 230V 2 Gang 1 Way Dimmer (rotate on / off) 250W 230V 2 Gang 2 Way Dimmer (push on / off) 400W 230V 2 Gang 1 Way Dimmer (rotate on / off) 400W 230V 2 Gang 2 Way Dimmer (push on / off)	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 100 / 10 Only for use with incandescent lamps
	B2523-250 B2523-2-250 B2523-400 B2523-2-400	250W 230V 3 Gang 1 Way Dimmer (rotate on / off) 250W 230V 3 Gang 2 Way Dimmer (push on / off) 400W 230V 3 Gang 1 Way Dimmer (rotate on / off) 400W 230V 3 Gang 2 Way Dimmer (push on / off)	Nominal plate size: 146×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 5 Only for use with incandescent lamps
	B2524-250 B2524-2-250 B2524-400 B2524-2-400	250W 230V 4 Gang 1 Way Dimmer (rotate on / off) 250W 230V 4 Gang 2 Way Dimmer (push on / off) 400W 230V 4 Gang 1 Way Dimmer (rotate on / off) 400W 230V 4 Gang 2 Way Dimmer (push on / off)	Nominal plate size: 146×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 5 Only for use with incandescent lamps
	B211-M2 B211-1KM2	630W 230V 1 Gang Dimmer (rotate on / off) 1000W 230V 1 Gang Dimmer (rotate on / off)	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 5 Only for use with incandescent lamps
	B2-ET	630W 230V 1 Gang Touch Dimmer with LED indicator + off position	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 5 Only for use with incandescent lamps





Fan Controls

Product	Model No.	Description	Remarks
	B2521-LV250 B2521-LV400	250VA 230V 1 Gang Fan Control (rotate on / off) 400VA 230V 1 Gang Fan Control (rotate on / off)	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 5
	B2522-LV250 B2522-LV400	250VA 230V 2 Gang Fan Control (rotate on / off) 400VA 230V 2 Gang Fan Control (rotate on / off)	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 5
	B2523-LV250	250VA 230V 3 Gang Fan Control (rotate on / off)	Nominal plate size: 146×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 5
	B211-M3	400VA 230V 1 Gang Fan Control (rotate on / off)	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 5
	B211S-M3	400VA 230V 1 Gang Fan Control + 10A 1 Gang Switch (rotate on / off)	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 5
	B2524-LV250 B2524-LV400	250VA 230V 4 Gang Fan Control (rotate on / off) 400VA 230V 4 Gang Fan Control (rotate on / off)	Nominal plate size: 146×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 5

BS Sockets

Product	Model No.	Description	Remarks
	B8502	2A 1 Gang Unswitched Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10
	B8505	5A 1 Gang Unswitched Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10
	B8513	13A 1 Gang Unswitched Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10

BS Sockets

Product	Model No.	Description	Remarks
	B8513S B8513S-DP	13A 1 Gang Switched Socket 13A 1 Gang DP Switched Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10
	B8513SL	13A 1 Gang Switched Socket with neon	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10
	B8515S	15A 1 Gang Switched Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10
	B8515SL	15A 1 Gang Switched Socket with neon	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10
	B8513D	13A 2 Gang Unswitched Socket	Nominal plate size: 146×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10
	B8513SD B8513SD-DP	13A 2 Gang Switched Socket 13A 2 Gang DP Switched Socket	Nominal plate size: 146×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10
	B8513SDL	13A 2 Gang Switched Socket with neon	Nominal plate size: 146×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10
	B8523SD B8523SD-DP	13A 2 Gang Switched Socket 13A 2 Gang DP Switched Socket	Nominal plate size: 146×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10
	B8523SDA B8523SDA-DP	13A 2 Gang Switched Socket (T-shaped earth terminal) 13A 2 Gang DP Switched Socket (T-shaped earth terminal)	Nominal plate size: 146×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10
	B8523SDB B8523SDB-DP	13A 2 Gang Switched Socket (D-shaped earth terminal) 13A 2 Gang DP Switched Socket (D-shaped earth terminal)	Nominal plate size: 146×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10

BS Sockets

Product	Model No.	Description	Remarks
	B8523SDL	13A 2 Gang Switched Socket with neon	Nominal plate size: 146×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10
	B8523SDL-DP	13A 2 Gang DP Switched Socket with neon	
	B8523SDLA	13A 2 Gang Switched Socket with neon (T-shaped earth terminal)	Nominal plate size: 146×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10
	B8523SDLA-DP	13A 2 Gang DP Switched Socket with neon (T-shaped earth terminal)	
	B8523SDLB	13A 2 Gang Switched Socket with neon (D-shaped earth terminal)	Nominal plate size: 146×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10
	B8523SDLB-DP	13A 2 Gang DP Switched Socket with neon (D-shaped earth terminal)	

Schuko Sockets

Product	Model No.	Description	Remarks
	B827	16A 1 Gang 2 Pin + Earth German Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10

Universal Sockets

Product	Model No.	Description	Remarks
	B810U	10A 1 Gang 2 Pin Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10
	B810U2	10A 2 Gang 2 Pin Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10
	B810US	10A 1 Gang 2 Pin Switched Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10
	B810USA	10A 1 Gang 2 Pin Switched Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10

Universal Sockets

Product	Model No.	Description	Remarks
	B810UV1	15A 1 Gang 2 Pin + Earth American Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10
	B818S	13A 1 Gang 2 Pin + Earth Switched Universal Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10
	B8615V	15A 127V 1 Gang 2 Pin + Earth American Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10
	B816UV2L	16A 1 Gang 2 Pin + Earth Universal Socket with LED voltage indicator (110V / 220V)	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10



Hotel Products

Product	Model No.	Description	Remarks
	B8588D	115/230V Shaver Socket with overcurrent protection (max:20VA)	Nominal plate size: 146×86 mm Minimum wall box depth: 47 mm Pack (carton / box): 10 / 1 / 1

Telecommunication Products

Product	Model No.	Description	Remarks
	B801TV	1 Gang TV Socket with surge protection	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10
	B801TVO	1 Gang TV Socket with 1 branch output + surge protection	
	B8509	1 Gang Sat. TV Socket	
	B8511	1 Gang TV Socket	
	B8511ETV	1 Gang Sat. TV Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10
	B802TV-FM	1 Gang TV + FM Socket with surge protection	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10

Telecommunication Products

Product	Model No.	Description	Remarks
	B8512	2 Gang TV Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 100 / 10
	B802ETV	2 Gang Sat. TV Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 100 / 10
	B8501TM B8501TS	1 Gang BT Master Telephone Socket 1 Gang BT Secondary Telephone Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10
	B8514	1 Gang Sat. TV + TV Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 100 / 10
	B8542	1 Gang TV + FM Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 5
	B8543	1 Gang Triplex Socket (Sat+TV+FM)	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 5
	B8542-TM B8542-TS	1 Gang Triplex Socket (TV+FM+BT Master Telephone) 1 Gang Triplex Socket (TV+FM+BT Secondary Telephone)	Nominal plate size: 146×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 5
	B8543-TM B8543-TS	1 Gang Quadruplex Socket (Sat+TV+FM+BT Master Telephone) 1 Gang Quadruplex Socket (Sat+TV+FM+BT Secondary Telephone)	Nominal plate size: 146×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 5
	B801-4TU B801-6TU	1 Gang RJ11 Telephone Socket (4 Pin) 1 Gang RJ12 Telephone Socket (6 Pin)	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10
	B8501PC B8503PC	1 Gang RJ45 Cat.5e Data Socket 1 Gang RJ12 Telephone Socket (6 Pin)	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10

Telecommunication Products

Product	Model No.	Description	Remarks
	B803-4TU B803-6TU	2 Gang RJ11 Telephone Socket (4 Pin, 2 input 2 output) 2 Gang RJ12 Telephone Socket (6 Pin, 2 input 2 output)	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10
	B8502PC B8504PC	2 Gang RJ45 Cat.5e Data Socket 2 Gang RJ12 Telephone Socket (6 Pin)	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 5
	B801PC-4TU	1 Gang RJ45 Cat.5e Data Socket + RJ11 Telephone Socket (4 Pin)	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 5
	B8505PC B8506PC	4 Gang RJ45 Cat.5e Data Socket 4 Gang RJ12 Telephone Socket (6 Pin)	Nominal plate size: 146×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 5

Other Products and Accessories

Product	Model No.	Description	Remarks
	B2-LTS	100W 230V Touch Time Delay Switch with fire control outlet	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 5 Only for use with incandescent lamps
	B2-LIR	1000W 230V IR Motion Detector with fire control outlet	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 5
	B2-SC* B2-LSC* B2-SCA	100W 230V Voice + Light Activated Switch with time delay 500W 230V Voice + Light Activated Switch with time delay + fire control outlet 100W 230V Voice + Light Activated Switch with time delay (compatible with CFL)	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 5 Only for use with incandescent lamps*
	B1111	1 Gang Blank Plate	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10
	B1111D	2 Gang Blank Plate	Nominal plate size: 146×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10

Other Products and Accessories

Product	Model No.	Description	Remarks
	B5821	20A Connection Unit	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10
	B5825	25A Connection Unit	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10
	B5845 B5850	45A Connection Unit 50A Connection Unit	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 100 / 10
	B6803F B6813F B6803FFO B6813FFO	3A Fused Connection Unit 13A Fused Connection Unit 3A Fused Connection Unit with flex outlet 13A Fused Connection Unit with flex outlet	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10
	B6813FL B6813FLFO	13A Fused Connection Unit with neon 13A Fused Connection Unit with flex outlet + neon	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10
	B6813FS B6813FSFO	13A Switched Fused Connection Unit 13A Switched Fused Connection Unit with flex outlet	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10
	B6813FSL B6813FSLFO	13A Switched Fused Connection Unit with neon 13A Switched Fused Connection Unit with flex outlet + neon	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10

Dimensions

Unit:mm

