




exclusif

"No frills" quality design that has endured the test of time; premium bakelite front plates that are scratch and corrosion resistant, fire retardant, durable and with colours prevent from fading.



"No frills" quality design that has endured the test of time



*Premium bakelite front plates that are scratch and corrosion resistant, fire retardant, durable and with colours that do don't fade




B8913SA
13A 1 Gang Switched Socket



B8901TM
1 Gang BT
Master Telephone Socket





B2122-LV250
250VA 230V 2 Gang Fan Control



B2113A
6A 3 Gang 1 Way Switch



Dimensions

Unit: mm



Switches

Product	Model No.	Description	Remarks
	B2111A B2111A-2 B2115	6A 1 Gang 1 Way Switch 6A 1 Gang 2 Way Switch 6A 1 Gang Intermediate Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 200 / 10
	B2112A B2112A-2	6A 2 Gang 1 Way Switch 6A 2 Gang 2 Way Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 200 / 10
	B2113A B2113A-2	6A 3 Gang 1 Way Switch 6A 3 Gang 2 Way Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 200 / 10
	B2114 B2114-2	6A 4 Gang 1 Way Switch 6A 4 Gang 2 Way Switch	Nominal plate size: 146×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 5
	B2151 B2151-2	10A 1 Gang 1 Way Switch 10A 1 Gang 2 Way Switch	Nominal plate size: 86×33 mm Minimum wall box depth: 25 mm Pack (carton / box): 200 / 10
	B2152 B2151-2	10A 2 Gang 1 Way Switch 10A 2 Gang 2 Way Switch	Nominal plate size: 148×33 mm Minimum wall box depth: 25 mm Pack (carton / box): 200 / 10
	B2120 B2120FO	20A 1 Gang DP Switch 20A 1 Gang DP Switch with flex outlet	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 200 / 10
	B2120L B2120LFO	20A 1 Gang DP Switch with neon 20A 1 Gang DP Switch with flex outlet + neon	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 200 / 10
	B2145	45A 1 Gang DP Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 5
	B2145L	45A 1 Gang DP Switch with neon	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 5

Switches			
Product	Model No.	Description	Remarks
	B2145D	45A 1 Gang DP Switch (146 type)	Nominal plate size: 146×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 5
	B2145DL	45A 1 Gang DP Switch with neon (146 type)	Nominal plate size: 146×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 5
	B2148	45A Cooker Control Unit + 13A Switched Socket	Nominal plate size: 146×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 5
	B2148L	45A Cooker Control Unit + 13A Switched Socket with neon	Nominal plate size: 146×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 5

Retractive Switches			
Product	Model No.	Description	Remarks
	B2118	6A 1 Gang 1 Way Bell Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 200 / 10
	B2118-2	6A 1 Gang 2 Way Bell Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 200 / 10
	B2110-2	6A 2 Way Retractive Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10

Dimmers			
Product	Model No.	Description	Remarks
	B2121-250 B2121-400 B2121-2-250 B2121-2-400	250W 230V 1 Gang 1 Way Dimmer (rotate on / off) 400W 230V 1 Gang 1 Way Dimmer (rotate on / off) 250W 230V 1 Gang 2 Way Dimmer (push on / off) 400W 230V 1 Gang 2 Way Dimmer (push on / off)	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 100 / 10 Only for use with incandescent lamps

Dimmers			
Product	Model No.	Description	Remarks
	B2122-250 B2122-400 B2122-2-250 B2122-2-400	250W 230V 2 Gang 1 Way Dimmer (rotate on / off) 400W 230V 2 Gang 1 Way Dimmer (rotate on / off) 250W 230V 2 Gang 2 Way Dimmer (push on / off) 400W 230V 2 Gang 2 Way Dimmer (push on / off)	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 100 / 10 Only for use with incandescent lamps
	B2123-250 B2123-2-250	250W 230V 3 Gang 1 Way Dimmer (rotate on / off) 250W 230V 3 Gang 2 Way Dimmer (push on / off)	Nominal plate size: 146×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 100 / 10 Only for use with incandescent lamps
	B2124-250 B2124-2-250	250W 230V 4 Gang 1 Way Dimmer (rotate on / off) 250W 230V 4 Gang 2 Way Dimmer (push on / off)	Nominal plate size: 146×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 100 / 10 Only for use with incandescent lamps

Fan Controls			
Product	Model No.	Description	Remarks
	B2121-LV250 B2121-LV400	250VA 230V 1 Gang Fan Control (rotate on / off) 400VA 230V 1 Gang Fan Control (rotate on / off)	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 100 / 10 Only for use with fans
	B2122-LV250 B2122-LV400	250VA 230V 2 Gang Fan Control (rotate on / off) 400VA 230V 2 Gang Fan Control (rotate on / off)	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 100 / 10 Only for use with fans
	B2123-LV250	250VA 230V 3 Gang Fan Control (rotate on / off)	Nominal plate size: 146×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 100 / 10 Only for use with fans
	B2124-LV250	250VA 230V 4 Gang Fan Control (rotate on / off)	Nominal plate size: 146×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 100 / 10 Only for use with fans

BS Sockets			
Product	Model No.	Description	Remarks
	B8902	2A 1 Gang Unswitched Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 200 / 10

BS Sockets			
Product	Model No.	Description	Remarks
	B8905	5A 1 Gang Unswitched Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 200 / 10
	B8905S	5A 1 Gang Switched Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 200 / 10
	B8905SL	5A 1 Gang Switched Socket with neon	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 200 / 10
	B8913A	13A 1 Gang Unswitched Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 200 / 10
	B8913SA	13A 1 Gang Switched Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 200 / 10
	B8913SLA	13A 1 Gang Switched Socket with neon	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 200 / 10
	B8913DA	13A 2 Gang Unswitched Socket	Nominal plate size: 146×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 5
	B8913SDA B8913SDP3 B8913SDP2	13A 2 Gang Switched Socket 13A 2 Gang DP Switched Socket 13A 2 Gang DP Switched Socket	Nominal plate size: 146×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 5
	B8913SDL	13A 2 Gang Switched Socket with neon	Nominal plate size: 146×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 5
	B8913RCD1N	13A 1 Gang Socket with RCD (non-latching)	Nominal plate size: 146×86 mm Minimum wall box depth: 47 mm Pack (carton / box): 25 / 1

BS Sockets			
Product	Model No.	Description	Remarks
	B8915	15A 1 Gang Unswitched Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10
	B8915S	15A 1 Gang Switched Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10
	B8915SL	15A 1 Gang Switched Socket with neon	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10
	B8916 B8916SH	16A 1 Gang 2 Pin Socket 16A 1 Gang 2 Pin Socket with shutter	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 200 / 10
	B8916U	16A 1 Gang 2 Pin Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 200 / 10
	B8916S B8916SSH	16A 1 Gang 2 Pin Switched Socket 16A 1 Gang 2 Pin Switched Socket with shutter	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 200 / 10
	B8916D B8916DSH	16A 2 Gang 2 Pin Socket 16A 2 Gang 2 Pin Socket with shutter	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 200 / 10

Telecommunication Products			
Product	Model No.	Description	Remarks
	B8901-4TU B8901-6TU B8903PC	1 Gang RJ11 Telephone Socket (4 Pin) 1 Gang RJ12 Telephone Socket (6 Pin) 1 Gang RJ12 Telephone Socket (6 Pin)	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 200 / 10
	B8901TM B8901TS	1 Gang BT Master Telephone Socket 1 Gang BT Secondary Telephone Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 200 / 10

Telecommunication Products


Product	Model No.	Description	Remarks
	B8902-4TU B8902-6TU B8903-4TU B8903-6TU	2 Gang RJ11 Telephone Socket (4 Pin) 2 Gang RJ12 Telephone Socket (6 Pin) 2 Gang RJ11 Telephone Socket (4 Pin, 2 input 2 output) 2 Gang RJ12 Telephone Socket (6 Pin, 2 input 2 output)	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 200 / 10
	B8901PC	1 Gang RJ45 Cat.5e Data Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 200 / 10
	B8911 B8909	1 Gang TV Socket 1 Gang Sat. TV Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 200 / 10
	B8942	1 Gang TV + FM Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 5
	B8912	2 Gang TV Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 200 / 10
	B8943	1 Gang Triplex Socket (Sat+TV+FM)	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 5
	B8943-TM B8943-TS	1 Gang Quadruplex Socket (Sat+TV+FM+BT Master Telephone) 1 Gang Quadruplex Socket (Sat+TV+FM+BT Secondary Telephone)	Nominal plate size: 146×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 5

Hotel Products






Product	Model No.	Description	Remarks
	B8988D	115 / 230V Shaver Socket with overcurrent protection (max:20VA)	Nominal plate size: 146×86 mm Minimum wall box depth: 47 mm Pack (carton / box): 10 / 1

Accessories

Product	Model No.	Description	Remarks
	B1101	1 Gang Blank Plate	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 200 / 10
	B1101D	2 Gang Blank Plate	Nominal plate size: 146×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 5
	B3910 B3910C	6A Junction Box 6A Junction Box (clear base)	Nominal plate size: 90 mm Pack (carton / box): 200 / 10
	B5805 B5820 B5830 B5820-4 B5820-6	5A Junction Box 20A Junction Box 30A Junction Box 20A 4 Terminal Junction Box 20A 6 Terminal Junction Box	Nominal plate size: 75 mm Pack (carton / box): 200 / 10
	SB5820	20A 4 Terminal Junction Box (reduced size)	Nominal plate size: 59 mm Pack (carton / box): 200 / 10
	B5920	20A Connection Unit	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 200 / 10
	B5925	25A Connection Unit	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 200 / 10
	B5945	45A Connection Unit	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 100 / 10
	B6903F B6913FA	3A Fused Connection Unit 13A Fused Connection Unit	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 200 / 10
	B6913FL	13A Fused Connection Unit with neon	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 200 / 10
	B6913FSA	13A DP Switched Fused Connection Unit	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 100 / 10


Accessories			
Product	Model No.	Description	Remarks
	B6913FSLA B6905FSL	13A DP Switched Fused Connection Unit with neon 5A Switched Fused Connection Unit with neon	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 200 / 10
	B2116	6A 1 Gang 3 Pole Fan Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 200 / 10
	B8933SF B8933SF+B1025D3	13A 3 Gang Switched Fused Socket 13A 3 Gang Switched Fused Socket + 3 Gang 25mm Mounting Box	Nominal plate size: 206×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 5
	B6913FLFOA	13A Fused Connection Unit with flex outlet + neon	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 200 / 10
	B6913FSFOA	13A Switched Fused Connection Unit with flex outlet	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 200 / 10
	B2146 B2146L	45A 1 Gang Surface Pull Switch 45A 1 Gang Surface Pull Switch with neon	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 200 / 10
	B2127 B2127-2	6A 1 Gang 1 Way Surface Pull Switch 6A 1 Gang 2 Way Surface Pull Switch	Nominal plate size: 69 mm Minimum wall box depth: 35 mm Pack (carton / box): 100 / 10
	B3901	B22 Pendant Lampholder	Nominal plate size: 35 mm Pack (carton / box): 400 / 20
	B3921 B3921C	B22 Batten Lampholder B22 Batten Lampholder (clear base)	Nominal plate size: 90 mm Pack (carton / box): 100 / 10
	B3928 B3927	B22 Fixed Batten Lampholder B22 Fixed Batten Lampholder	Nominal plate size: 76 / 90 mm Pack(carton/box) :100 / 10 200 / 10

Accessories			
Product	Model No.	Description	Remarks
	B3906 B3906C B3909 B3909C	Pendant with 6" cable + ceiling rose Pendant with 6" cable + ceiling rose (clear base) Pendant with 9" cable + ceiling rose Pendant with 9" cable + ceiling rose (clear base)	Nominal plate size: 90 mm Pack (carton / box): 100 / 10
	B3951 B3951C	B22 Angled Batten Lampholder B22 Angled Batten Lampholder (clear base)	Nominal plate size: 90 mm Pack (carton / box): 100 / 10
	B3971	B22 Weatherproof Lampholder	Nominal plate size: 60.5×35 mm Pack (carton / box): 400 / 40
	B3926	E27 Screw Batten Lampholder	Nominal plate size: 76 mm Pack (carton / box): 200 / 10
	B1015	1 Gang Architrave Mounting Box	Nominal plate size: 87×34 mm Pack (carton / box): 200 / 10
	B1016	1 Gang 16mm Mounting Box	Nominal plate size: 88×88 mm Pack (carton / box): 100 / 10
	B1116	1 Gang 16mm Mounting Box	Nominal plate size: 88×88 mm Pack (carton / box): 200 / 10
	B1025* B1125 B1225	1 Gang 25mm Mounting Box 1 Gang 25mm Mounting Box 1 Gang 25mm Mounting Box	Nominal plate size: 87×87 88×88 86×86 mm Pack (carton / box): 200 / 10* 100 / 10
	B1135	1 Gang 35mm Mounting Box	Nominal plate size: 88×88 mm Pack (carton / box): 50/5
	B1047 B1147 B1247	1 Gang 47mm Mounting Box 1 Gang 47mm Mounting Box 1 Gang 47mm Mounting Box	Nominal plate size: 88×88 mm Pack (carton / box): 200 / 10

Accessories			
Product	Model No.	Description	Remarks
	B1015D	2 Gang Architrave Mounting Box	Nominal plate size: 149×34 mm Pack (carton / box): 200 / 10
	B1025D B1125D B1225D*	2 Gang 25mm Mounting Box 2 Gang 25mm Mounting Box 2 Gang 25mm Mounting Box	Nominal plate size: 149×88 146×86* mm Pack (carton / box): 100 / 5
	B1047D B1147D B1247D*	2 Gang 47mm Mounting Box 2 Gang 47mm Mounting Box 2 Gang 47mm Mounting Box	Nominal plate size: 149×88 146×86* mm Pack (carton / box): 100 / 5
	B1025D3	3 Gang 25mm Mounting Box	Nominal plate size: 206×86 mm Pack (carton / box): 100 / 5
	B1125D2 B1025D2	2 Gang 25mm Mounting Box 2 Gang 25mm Mounting Box	Nominal plate size: 173×86 175×88 mm Pack (carton / box): 100 / 5
	B7915	15A 3 Pin Plug	Nominal plate size: 52×51 mm Pack (carton / box): 200 / 20
	B7913-3 B7913-5 B7913	3A 3 Pin Plug 5A 3 Pin Plug 13A 3 Pin Plug	Nominal plate size: 50×50 mm Minimum wall box depth: 25 mm Pack (carton / box): 200 / 20
	B7823F BV7823F	13A 3 Gang Fused Adaptor 13A 3 Gang Fused Adaptor with surge protection	Nominal plate size: 58×50 mm Pack (carton / box): 100 / 10
	B7824F BV7824F	13A (2x13A+1x5A) Fused Adaptor 13A (2x13A+1x5A) Fused Adaptor with surge protection	Nominal plate size: 58×50 mm Pack (carton / box): 100 / 10
	B7825F BV7825F	15A (1x13A+2x5A) Fused Adaptor 15A (1x13A+2x5A) Fused Adaptor with surge protection	Nominal plate size: 58×52 mm Pack (carton / box): 100 / 10
	B7801	1A Shaver Adaptor with 1A fuse	Nominal plate size: 50×50 mm Pack (carton / box): 100 / 10



B8915S
15A 1 Gang Switched Socket



B2148L
45A Cooker Control Unit + 13A Switched Socket with neon