

Ultimate

Switch and socket plates made from stainless steel, with the most stylish finishes offered on the market today. Available in almost any painted colour or premium finish such as stainless steel, polished chrome, bronze, brass and black or pearl nickel. The super low-profile metal switch plates have no exposed screws for a smooth and sleek appearance.



Luxurious looking metal plates with wide selection of finishes




Compatible with our versatile Icon modules




Double earth terminals for safer sockets



1.2mm super slim profile face plate that is both compact and sleek



G251A-BCGO
10A 1 Gang 1 Way Large Rocker Switch



G8513SD-WSS
13A 2 Gang Switched Socket



G8513SUSB-BCGO
13A 1 Gang Switched Socket with 2A USB Power



G6-2KT-BBZ
20A 100-240V Keycard switch with time delay



G811USBA-WSS
1 Gang 2A USB Power Charger



GC-AL-BPB 3A Alarm Switch

T&J now manufactures a completely new option for alarm controls in buildings. Just turn the key and press the red button to trigger the alarm. Press the button again to switch off the alarm. This product is also available in our Titanium, Classy, Deco and Radiance switch plate designs.



G2C-DMB-WPN
4A Bell Switch with "Do Not Disturb"
+ "Make Up Room" indicator



G801-TV - BPG
1 Gang TV Socket with surge protection

Switches			
Product	Model No.	Description	Remarks
	G251 G251-2 G221 G2515 G220 G232	10A 1 Gang 1 Way Switch 10A 1 Gang 2 Way Switch 10A 1 Gang 2 Way Shutter Switch 10A 1 Gang Intermediate Switch 20A 1 Gang DP Switch 32A 1 Gang DP Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G220L G232L	20A 1 Gang DP Switch with neon 32A 1 Gang DP Switch with neon	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G222	6A 1 Gang 2 Way Shutter Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G220FO G232FO	20A 1 Gang DP Switch with flex outlet 32A 1 Gang DP Switch with flex outlet	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G220LFO G232LFO	20A 1 Gang DP Switch with flex outlet + neon 32A 1 Gang DP Switch with flex outlet + neon	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G245D	45A 1 Gang DP Switch (146 type)	Nominal plate size:146×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1
	G245DL	45A 1 Gang DP Switch with neon (146 type)	Nominal plate size:146×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1
	G252 G252-2	10A 2 Gang 1 Way Switch 10A 2 Gang 2 Way Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G253 G253-2 G2203 G2203-2	10A 3 Gang 1 Way Switch 10A 3 Gang 2 Way Switch 20A 3 Gang 1 Way Switch 20A 3 Gang 2 Way Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G254 G254-2	10A 4 Gang 1 Way Switch 10A 4 Gang 2 Way Switch	Nominal plate size: 146×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G256 G256-2	10A 6 Gang 1 Way Switch 10A 6 Gang 2 Way Switch	Nominal plate size: 146×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1

Switches			
Product	Model No.	Description	Remarks
	G201 G201-2 G2061 G2061-2 G2130A	10A 1 Gang 1 Way Toggle Switch 10A 1 Gang 2 Way Toggle Switch 10A 1 Gang 1 Way Retractive Toggle Switch 10A 1 Gang 2 Way Retractive Toggle Switch 10A 1 Gang Intermediate Toggle Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G202 G202-2 G2062 G2062-2	10A 2 Gang 1 Way Toggle Switch 10A 2 Gang 2 Way Toggle Switch 10A 2 Gang 1 Way Retractive Toggle Switch 10A 2 Gang 2 Way Retractive Toggle Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G203 G203-2 G2063 G2063-2	10A 3 Gang 1 Way Toggle Switch 10A 3 Gang 2 Way Toggle Switch 10A 3 Gang 1 Way Retractive Toggle Switch 10A 3 Gang 2 Way Retractive Toggle Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G204 G204-2	10A 4 Gang 1 Way Toggle Switch 10A 4 Gang 2 Way Toggle Switch	Nominal plate size: 146×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G251A	10A 1 Gang 1 Way Large Rocker Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G252A	10A 2 Gang 1 Way Large Rocker Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G2548	45A Cooker Control Unit + 13A Switched Socket	Nominal plate size: 146×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1
	G2548L	45A Cooker Control Unit + 13A Switched Socket with neon	Nominal plate size: 146×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1




Retractive Switches			
Product	Model No.	Description	Remarks
	G2510	10A 1 Gang Bell Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G2517	10A 1 Gang Fan Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G2561 G2561-2	10A 1 Gang 1 Way Retractive Switch 10A 1 Gang 2 Way Retractive Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G2562 G2562-2	10A 2 Gang 1 Way Retractive Switch 10A 2 Gang 2 Way Retractive Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G2563 G2563-2	10A 3 Gang 1 Way Retractive Switch 10A 3 Gang 2 Way Retractive Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G2564 G2564-2	10A 4 Gang 1 Way Retractive Switch 10A 4 Gang 2 Way Retractive Switch	Nominal plate size: 146×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G2566	10A 6 Gang 1 Way Retractive Switch	Nominal plate size: 146×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G2561A	10A 1 Gang 1 Way Retractive Switch with LED indicator	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G2562A	10A 2 Gang 1 Way Retractive Switch with LED indicator	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1

Dimmers			
Product	Model No.	Description	Remarks
	G2521-250 G2521-2-250 G2521-400 G2521-2-400	250W 230V 1 Gang 1 Way Dimmer (rotate on / off) 250W 230V 1 Gang 2 Way Dimmer (push on / off) 400W 230V 1 Gang 1 Way Dimmer (rotate on / off) 400W 230V 1 Gang 2 Way Dimmer (push on / off)	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1 Only for use with incandescent lamps

Dimmers			
Product	Model No.	Description	Remarks
	G2522-250 G2522-2-250 G2522-400 G2522-2-400	250W 230V 2 Gang 1 Way Dimmer (rotate on / off) 250W 230V 2 Gang 2 Way Dimmer (push on / off) 400W 230V 2 Gang 1 Way Dimmer (rotate on / off) 400W 230V 2 Gang 2 Way Dimmer (push on / off)	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1 Only for use with incandescent lamps
	G2523-250 G2523-2-250 G2523-400 G2523-2-400	250W 230V 3 Gang 1 Way Dimmer (rotate on / off) 250W 230V 3 Gang 2 Way Dimmer (push on / off) 400W 230V 3 Gang 1 Way Dimmer (rotate on / off) 400W 230V 3 Gang 2 Way Dimmer (push on / off)	Nominal plate size: 146×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1 Only for use with incandescent lamps
	G2524-250 G2524-2-250 G2524-400 G2524-2-400	250W 230V 4 Gang 1 Way Dimmer (rotate on / off) 250W 230V 4 Gang 2 Way Dimmer (push on / off) 400W 230V 4 Gang 1 Way Dimmer (rotate on / off) 400W 230V 4 Gang 2 Way Dimmer (push on / off)	Nominal plate size: 146×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1 Only for use with incandescent lamps
	G211-M2 G211-1KM2	630W 230V 1 Gang Dimmer (rotate on / off) 1000W 230V 1 Gang Dimmer (rotate on / off)	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1 Only for use with incandescent lamps

Fan Controls			
Product	Model No.	Description	Remarks
	G211-M3	400VA 230V 1 Gang Fan Control (rotate on / off)	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1 Only for use with fans
	G2521-LV250 G2521-LV400	250VA 230V 1 Gang Fan Control (rotate on / off) 400VA 230V 1 Gang Fan Control (rotate on / off)	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1 Only for use with fans
	G2522-LV250 G2522-LV400	250VA 230V 2 Gang Fan Control (rotate on / off) 400VA 230V 2 Gang Fan Control (rotate on / off)	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1 Only for use with fans
	G2523-LV250 G2523-LV400	250VA 230V 3 Gang Fan Control (rotate on / off) 400VA 230V 3 Gang Fan Control (rotate on / off)	Nominal plate size: 146×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1 Only for use with fans
	G2524-LV250 G2524-LV400	250VA 230V 4 Gang Fan Control (rotate on / off) 400VA 230V 4 Gang Fan Control (rotate on / off)	Nominal plate size: 146×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1 Only for use with fans

Fan Controls			
Product	Model No.	Description	Remarks
	G2-M4	2A 230V 1 Gang Electronic Fan Control with speed indicator	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1 For fan speed control of central A/C

BS Sockets			
Product	Model No.	Description	Remarks
	G8502	2A 1 Gang Unswitched Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G8505	5A 1 Gang Unswitched Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G8513	13A 1 Gang Unswitched Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G8513S G8513S-DP	13A 1 Gang Switched Socke 13A 1 Gang DP Switched Sockett	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G8513SL G8513SL-DP	13A 1 Gang Switched Socket with neon 13A 1 Gang DP Switched Socket with neon	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G8513D	13A 2 Gang Unswitched Socket	Nominal plate size: 146×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G8513SD G8513SD-DP	13A 2 Gang Switched Socket 13A 2 Gang DP Switched Socket	Nominal plate size: 146×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G8513SDL G8513SDL-DP	13A 2 Gang Switched Socket with neon 13A 2 Gang DP Switched Socket with neon	Nominal plate size: 146×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G8523SD-DP G8523SDA-DP G8533SD-DP G8533SDA-DP	13A 2 Gang DP Switched Socket 13A 2 Gang DP Switched Socket (T-shaped earth terminal) 13A 2 Gang DP Switched Socket (independent earth terminal) 13A 2 Gang DP Switched Socket (T-shaped, independent earth terminal)	Nominal plate size: 146×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1

BS Sockets			
Product	Model No.	Description	Remarks
	G8515S G8515SL	15A 1 Gang Switched Socket 15A 1 Gang Switched Socket with neon	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1

Schuko Sockets			
Product	Model No.	Description	Remarks
	G827	16A 1 Gang 2 Pin + Earth German Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 47 mm Pack (carton / box): 50 / 1
	G8116V	16A 250V 2Pin + Earth French Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 47 mm Pack (carton / box): 50 / 1

American Sockets			
Product	Model No.	Description	Remarks
	G8415V	15A 127V 1 Gang 2 Pin + Earth American Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 47 mm Pack (carton / box): 50 / 1

Swiss Sockets			
Product	Model No.	Description	Remarks
	G8110CH	10A 1 Gang Swiss Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1

Universal Sockets			
Product	Model No.	Description	Remarks
	G818S	13A 1 Gang 2 Pin + Earth Switched Universal Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G810U2	10A 2 Gang 2 Pin Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G810U	16A 2 Gang 2 Pin Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1

Multimedia Products			
Product	Model No.	Description	Remarks
	G8318USB	13A 1 Gang 3 Pin Universal Socket with 2A USB	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1
	G8318SUSB	13A 1 Gang 3 Pin Switched Universal Socket with 2A USB	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1

Audio and Video Products			
Product	Model No.	Description	Remarks
	G801-SB	1 Gang Speaker Socket (banana jack)	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G802-SB	2 Gang Speaker Socket (banana jack)	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1

Multimedia Products			
Product	Model No.	Description	Remarks
	G811USB	1 Gang 2A USB Power Charger	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1
	G812USB	2 Gang 2A USB Power Charger	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1
	G811USBA	1 Gang 2A USB Power Charger	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1
	G812USBA	2 Gang 2A USB Power Charger	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1

Electronic Switches			
Product	Model No.	Description	Remarks
	G2-LIR	500W 230V IR Motion Detector with fire control outlet	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1
	G2-LSC*	500W 230V Voice Activated Switch with time delay + fire control outlet	Nominal plate size: 146×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1 Only for use with incandescent lamps and resistive loads*

Hotel Products			
Product	Model No.	Description	Remarks
	G2-AL	3A Alarm	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G2700	1W 220V Floor Lamp	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G2C-DMB	4A Bell Switch with "Do Not Disturb" + "Make Up Room" indicator	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1
	G2C-DM	"Do Not Disturb" + "Make Up Room" Indicator	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1
	G828	115/230V Shaver Socket with overcurrent protection (max 20VA)	Nominal plate size: 146×86 mm Minimum wall box depth: 47 mm Pack (carton / box): 20 / 1
	G6-2KT G8-KT9 G9-2KT G9-KT9	20A 100-240V Keycard switch with time delay 10A 9-24V Low frequency RFID Keycard switch with time delay, Low voltage, Dry-contact output 20A 100-240V High frequency RFID Keycard switch with time delay 10A 9-24V High frequency RFID Keycard switch with time delay, Low voltage, Dry-contact output	Nominal plate size: 86x86mm Minimum wall box depth: 40mm Pack (carton/box): 50/5

Other Products and Accessories			
Product	Model No.	Description	Remarks
	G1111	With Mounting Bracket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G1111D	With Mounting Bracket	Nominal plate size: 146×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1

Other Products and Accessories			
Product	Model No.	Description	Remarks
	G6813F	13A Fused Connection Unit	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G6813FL	13A Fused Connection Unit with neon	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G6813FS	13A Switched Fused Connection Unit	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G6813FSL	13A Switched Fused Connection Unit with neon	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G6813FFO	13A Fused Connection Unit with flex outlet	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1

Audio and Video Products			
Product	Model No.	Description	Remarks
	G2-V	1 Gang Volume Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1

Television Sockets			
Product	Model No.	Description	Remarks
	G8541	1 Gang TV Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G8512	2 Gang TV Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1


Television Sockets			
Product	Model No.	Description	Remarks
	G8511	1 Gang TV Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G8509	1 Gang Sat. TV Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G801-TV G801TVO	1 Gang TV Socket with surge protection 1 Gang TV Socket with 1 branch output + surge protection	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G802TV	2 Gang TV Socket with surge protection	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G803TV	2 Gang TV Socket with surge protection (2 input 2 output)	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G802TV-FM	1 Gang TV with surge protection + FM Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G8514	1 Gang Sat. TV + TV Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1

Television Sockets			
Product	Model No.	Description	Remarks
	G8542	1 Gang TV + FM Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1
	G802ETV	2 Gang Sat. TV Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G8543	1 Gang Triplex Socket (Sat+TV+FM)	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1
	G898	Audio RCA Socket + Earphone Socket (3.5mm jack)	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 16 / 1


Telecommunication Products			
Product	Model No.	Description	Remarks
	G801-4TU G801-6TU	1 Gang RJ11 Telephone Socket (4 Pin) 1 Gang RJ12 Telephone Socket (6 Pin)	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G801-PC G811-PC G831-PC	1 Gang RJ45 Cat.5e Data Socket 1 Gang RJ45 Cat.6 Data Socket 1 Gang RJ45 Cat.6A Data Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G801-TM G801-TS	1 Gang BT Master Telephone Socket 1 Gang BT Secondary Telephone Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G802-4TU G802-6TU G804-PC	2 Gang RJ11 Telephone Socket (4 Pin, 2 input 2 output) 2 Gang RJ12 Telephone Socket (6 Pin) 2 Gang RJ12 Telephone Socket (6 Pin)	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G802-PC G812-PC	2 Gang RJ45 Cat.5e Data Socket 2 Gang RJ45 Cat.6 Data Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1

Telecommunication Products			
Product	Model No.	Description	Remarks
	G801PC-4TU	1 Gang RJ45 Cat.5e Data Socket + RJ11 Telephone Socket (4 Pin)	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1

Other Products and Accessories			
Product	Model No.	Description	Remarks
	G6813FLFO	13A Fused Connection Unit with flex outlet + neon	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G6813FSLFO	13A Switched Fused Connection Unit with flex outlet + neon	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G1221	2 Gang Frame With Mounting Bracket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1



Product Code Rules



Available Options¹

1		2	3	4	5	6	
SS	Stainless Steel	B	2	3	20/23	CM	B
PB	Polished Brass	Black Interior	2 Way	3 Gang	Toggle Switch	Colossal	Alpine/Exclusif
PC	Polished Chrome	W	Blank	1	262/27/21	G	E
BN	Black Nickel	White Interior	1 Way	1 Gang	Dimmer Switch	Ultimate	Unique
BZ	Bronze			2	25	GC	M
MBR	Matt Brass			2 Gang	Normal Switch	Titanium	Metalclad
PN	Pearl Nickel			4	256	DK	P
PG	Pearl Gold			4 Gang	Retractive Switch	Radiance	Armor
						R	
						Classy	

¹Notes:
Standard colours:PB,PC,SS,MBR,BN,PN
Non-standard colours:PG, BZ
For standard colour lead time is up to 45 days.

Notes:

- *All illustrations and descriptions are only for guidance.
- *The colours and product photos you see in this brochure may vary from the actual products.
- *All T&J products/colours can be customised to satisfy the unique demand of the widest possible range of end-users.
- *T&J Electric reserves the right to change specifications and designs without notice.
- *Use dry soft cloth to clean the surface of the products, cleaning agents may damage the finish.