classy

Institutional grade design with elegant styling that offers you both durability, fashionable design and a wide range of multi-gang switch configurations and premium finishes. Perfect for the stylish high-end home, five star hotel, government building or “A” grade office building development.

T&J



Premium bakelite (urea) wall plates that are scratch and corrosion resistant, fire retardant, durable.

Wide variety of painted colours available with inner accent frame.

Heavy-duty construction with arc-shaped rocker for an elegant look.

Colour coded wiring connections for quick and safe installations.

New solid glass switch plates are available now!

Versatile combinations for 2 to 4 gang installations that meet a wide range of design needs and will ensure proper horizontal alignment.

R2700-TWH
1W Night Light



R801USB-WH
1 Gang USB Power Charger

R2C-DMB-MST
10A Bell Switch with "Do Not Disturb"
+ "Make Up Room" indicator

R813S-TTG
13A 1 Gang Switched Socket

Switches

Product	Model No.	Description	Remarks
	R271 R271-2 R271-DP R277 R221	16A 1 Gang 1 Way Switch 16A 1 Gang 2 Way Switch 20A 1 Gang DP Switch 10A 1 Gang Intermediate Switch 10A 1 Gang 2 Way Shutter Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R222	16A 1 Gang 2 Way Shutter Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	RB271	16A 1 Gang 1 Way Switch (glow in the dark rocket)	Nominal plate size: 115×115 mm Minimum wall box depth: 25 mm Pack (carton / box): 20 / 1
	R245	45A 1 Gang DP Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 60 / 10
	R245L	45A 1 Gang DP Switch with neon	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 60 / 10
	R271L R271L-2 R271L-DP RA271 RA271-2	16A 1 Gang 1 Way Switch with neon 16A 1 Gang 2 Way Switch with neon 20A 1 Gang DP Switch with neon 16A 1 Gang 1 Way Switch (glow in the dark rocker) 16A 1 Gang 2 Way Switch (glow in the dark rocker)	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R272 R272-2	16A 2 Gang 1 Way Switch 16A 2 Gang 2 Way Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R272L R272L-2 RA272 RA272-2	16A 2 Gang 1 Way Switch with neon 16A 2 Gang 2 Way Switch with neon 16A 2 Gang 1 Way Switch (glow in the dark rocker) 16A 2 Gang 2 Way Switch (glow in the dark rocker)	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R273 R273-2	16A 3 Gang 1 Way Switch 16A 3 Gang 2 Way Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R273L R273L-2 RA273 RA273-2	16A 3 Gang 1 Way Switch with neon 16A 3 Gang 2 Way Switch with neon 16A 3 Gang 1 Way Switch (glow in the dark rocker) 16A 3 Gang 2 Way Switch (glow in the dark rocker)	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10

Retractable Switches

Product	Model No.	Description	Remarks
	R271-B	16A 1 Gang Bell Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R261 R261-2	16A 1 Gang 1 Way Retractive Switch 16A 1 Gang 2 Way Retractive Switch	Nominal plate size: 86×86 mm Minimum wall box box depth: 25 mm Pack (carton / box): 60 / 10
	R261L R261L-2 RA261	16A 1 Gang 1 Way Retractive Switch with neon 16A 1 Gang 2 Way Retractive Switch with neon 16A 1 Gang 1 Way Retractive Switch (glow in the dark rocker)	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R262 R262-2	16A 2 Gang 1 Way Retractive Switch 16A 2 Gang 2 Way Retractive Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R262L R262L-2 RA262L RA262	16A 2 Gang 1 Way Retractive Switch with neon 16A 2 Gang 2 Way Retractive Switch with neon 16A 2 Gang 1 Way Retractive Switch with neon (glow in the dark rocker) 16A 2 Gang 1 Way Retractive Switch (glow in the dark rocker)	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R263 R263-2	16A 3 Gang 1 Way Retractive Switch 16A 3 Gang 2 Way Retractive Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R263L	16A 3 Gang 1 Way Retractive Switch with neon	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10

Dimmers

Product	Model No.	Description	Remarks
	R211-1KM2	1000W 230V 1 Gang Dimmer (rotate on / off)	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box):50 / 5 Only for use with incandescent lamps.
	R211-M2	630W 230V 1 Gang Dimmer (rotate on / off)	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 5 Only for use with incandescent lamps.

Dimmers

Product	Model No.	Description	Remarks
	R211S-M2 R211S-2M2	630W 230V 1 Gang Dimmer + 1 Gang 1 Way Switch (rotate on / off) 630W 230V 1 Gang Dimmer + 1 Gang 2 Way Switch (rotate on / off)	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 5 Only for use with incandescent lamps.
	R2-ED	630W 230V 1 Gang Dimmer Switch with off position	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 60 / 10 Only for use with incandescent lamps.

BS Sockets

Product	Model No.	Description	Remarks
	R813	13A 1 Gang Unswitched Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R813S R813S-DP	13A 1 Gang Switched Socket 13A 1 Gang DP Switched Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R813SL	13A 1 Gang Switched Socket with neon	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R813D	13A 2 Gang Unswitched Socket	Nominal plate size: 86×146 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 5
	R813SD R813SD-DP	13A 2 Gang Switched Socket 13A 2 Gang DP Switched Socket	Nominal plate size: 86×146 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 5
	R813SDL R813SDL-DP	13A 2 Gang Switched Socket with neon 13A 2 Gang DP Switched Socket with neon	Nominal plate size: 86×146 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 5
	R815S	15A 1 Gang Switched Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10

BS Sockets

Product	Model No.	Description	Remarks
	R815SL	15A 1 Gang Switched Socket with neon	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R8415V	15A 127V 1 Gang 2 Pin + Earth American Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10

Schuko Sockets

Product	Model No.	Description	Remarks
	R927	16A 1 Gang 2 Pin + Earth German Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 5

Universal Sockets

Product	Model No.	Description	Remarks
	R810U	16A 1 Gang 2 Pin Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R810US	10A 1 Gang 2 Pin Switched Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R810UV1	15A 1 Gang 2 Pin + Earth Euro American Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R810U2	16A 2 Gang 2 Pin Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R829	10A 1 Gang 2 Pin + 2 Pin + Earth Universal Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10

Audio and Video Products

Product	Model No.	Description	Remarks
	R2-V	1 Gang Volume Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 5
	R3-V	6W 1 Gang Volume Switch with emergency alarm	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 5
	R2-SV	1 Gang Channel Selection Switch + Volume Switch (Dedicated Ceiling Loudspeaker or High-resistance Loudspeaker Box)	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 5
	R801-AO	1 Gang Audio RCA Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R802-AO	1 Gang Stereo Audio RCA Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R803-AVO R801AVO	1 Gang Video Socket + 1 Gang Stereo Audio RCA Socket 1 Gang Video Socket + 1 Gang Audio Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R801-MIC	1 Gang Microphone Socket (6.3 mm jack)	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R801-SB	1 Gang Speaker Socket (banana jack)	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R802-SB	2 Gang Speaker Socket (banana jack)	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 60 / 10
	R801HDMI	1 Gang HDMI Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 60 / 10
	R801VGA	1 Gang VGA Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 60 / 10

Telecommunication Products

Product	Model No.	Description	Remarks
	R801USB	1 Gang 1A USB Power Charger	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 5
	R802USB	2 Gang 1A USB Power Charger	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 5
	R801TV R801TVO R803TVO	1 Gang TV Socket with surge protection 1 Gang TV Socket with 1 branch output + surge protection 1 Gang TV Socket with 3 branch output + surge protection	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R801ETV	1 Gang Sat. TV Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R803TV R802TV	2 Gang TV Socket with surge protection (2 input 2 output) 2 Gang TV Socket with surge protection (1 input 2 output)	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R802TV-FM	1 Gang TV + FM Socket with surge protection	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R802ETV	2 Gang Sat. TV Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R802ETV-FM	1 Gang Sat. TV + FM Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R801TV-4TU R801TV-PC	1 Gang TV Socket + 1 Gang RJ11 Telephone Socket (4 Pin) 1 Gang TV Socket + 1 Gang RJ45 Cat.5e Data Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R801-4TU R801-6TU	1 Gang RJ11 Telephone Socket (4 Pin) 1 Gang RJ12 Telephone Socket (6 Pin)	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10

Telecommunication Products

Product	Model No.	Description	Remarks
	R801-TM R801-TS	1 Gang BT Master Telephone Socket 1 Gang BT Secondary Telephone Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R801-PC R811-PC	1 Gang RJ45 Cat.5e Data Socket 1 Gang RJ45 Cat.6 Data Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R802-4TU R802-6TU	2 Gang RJ11 Telephone Socket (4 Pin) 2 Gang RJ12 Telephone Socket (6 Pin)	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R804-PC	2 Gang RJ12 Telephone Socket (6 Pin)	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R802-PC R812-PC	2 Gang RJ45 Cat.5e Data Socket 2 Gang RJ45 Cat.6 Data Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R801PC-4TU	1 Gang RJ45 Cat.5e Data Socket + RJ11 Telephone Socket (4 Pin)	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10

Hotel Products

Product	Model No.	Description	Remarks
	R2C-DB	10A Bell Switch with "Do Not Disturb" indicator	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R2-AL	3A Alarm	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R2C-DMB	10A Bell Switch with "Do Not Disturb" + "Make Up Room" indicator	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10

Hotel Products

Product	Model No.	Description	Remarks
	R6-2KT R9-2KT R8-KT9 R9-KT9 R6-KT9 R8-2KT	20A 100-240VAC Key Card Switch with time delay voltage drop 20A 100-240VAC 1 Gang High Frequency Key-card Switch with time delay, switching voltage drop 10A 9-24V 1 Gang Low Frequency Key-card Switch with time delay, low voltage passive 10A 9-24V 1 Gang High Frequency Key-card Switch with time delay, low voltage passive 10A 9-24V 1 Gang Key-card Switch with time delay, low voltage passive 20A 100-240VAC 1 Gang Low Frequency Key-card Switch with time delay, switching voltage drop	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 5
	R828	115/230V Shaver Socket with overcurrent protection	Nominal plate size: 86×146 mm Minimum wall box depth: 47 mm Pack (carton / box): 10 / 1

Fan Controls

Product	Model No.	Description	Remarks
	R3C-M4	2A 230V 1 Gang Electronic Fan Control with speed indicator	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 5 For fan speed control of central A / C.
	R211-M3	400VA 230V 1 Gang Fan Control (rotate on / off)	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 5 Only for use with fans.

Electronic Switches

Product	Model No.	Description	Remarks
	R2-TS R2-ET R2-LTS	150W 230V Touch Dimmer with LED indicator 630W 230V 1 Gang Touch Dimmer with LED indicator + off position 100W 230V Touch Dimmer with fire control outlet	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 60 / 10 Only for use with incandescent lamps.
	R2-IR R2-LIR	1000W 230V IR Motion Detector 500W 230V IR Motion Detector with fire control outlet	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 5 Only for use with incandescent lamps.
	R2700	1W 220V Floor Lamp	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10 Only for use with incandescent lamps.

Electronic Switches

Product	Model No.	Description	Remarks
	R3-LIR	500W 230V IR Motion Detector with fire control outlet (single live line)	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 5 Only for use with incandescent lamps.
	R2-SC R2-LSC	100W 230V Voice + Light Activated Switch with time delay 500W 230V Voice + Light Activated Switch with time delay + fire control outlet	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 60 / 10 Only for use with incandescent lamps.

Accessories

Product	Model No.	Description	Remarks
	R101	1 Gang Blank Plate	Nominal plate size: 86×86 mm Pack (carton / box): 200 / 20
	R101D	2 Gang Blank Plate	Nominal plate size: 86×146 mm Pack (carton / box): 60 / 10
	R150	1 Gang Accent Frame	Nominal plate size: 72×72 mm Pack (carton / box): 300 / 50
	R150D	2 Gang Accent Frame	Nominal plate size: 72×132 mm Pack (carton / box): 500 / 25
	R151	1 Gang Regular Frame (bakelite)	Nominal plate size: 86×86 mm Pack (carton / box): 200 / 20
	R161	1 Gang Regular Frame (polycarbonate)	Nominal plate size: 86×86 mm Pack (carton / box): 200 / 20
	R151D	2 Gang Regular Frame	Nominal plate size: 86×146 mm Pack (carton / box): 100 / 1

Accessories

Product	Model No.	Description	Remarks
	R152	1 Gang Rope Edge Frame	Nominal plate size: 86×86 mm Pack (carton / box): 200 / 20
	R152D	2 Gang Rope Edge Frame	Nominal plate size: 86×146 mm Pack (carton / box): 100 / 1
	R162	2 Gang Regular Frame	Nominal plate size: 86×162 mm Pack (carton / box): 100 / 1
	R163	3 Gang Regular Frame	Nominal plate size: 86×238 mm Pack (carton / box): 50 / 1
	R164	4 Gang Regular Frame	Nominal plate size: 86×314 mm Pack (carton / box): 50 / 1
	R165	5 Gang Regular Frame	Nominal plate size: 86×390 mm Pack (carton / box): 50 / 1
	R1150	1 Gang Mounting Box	Nominal plate size: 76×76×50 mm Pack (carton / box): 200 / 1
	R141	Mounting Box Alignment Clip	Nominal plate size: 66×10 mm Pack (carton / box): 3000 / 150
	R1201	2 Gang Modular Frame (Deco Modules)	Nominal plate size: 86×86 mm Pack (carton / box): 200 / 20



R271+R272+R273+R813S-TPS
Custom Built Product

R6-2KT-TPS
20A 100-240VAC Key Card Switch
with time delay voltage drop

Product Code Rules

Classy

R 27 1- 2- T C CGO

Colour	1
Chrome accent frame	2
Edge style	3
Way	4
Gang	5
Switch type	6
Design collection	7

Available Options

1	2	3	4	5	6	7
WH White	**C**	**T**	**2**	**1**	**27**	**CM**
IW Ivory White	Chrome Accent Frame	Regular Edge	**2** Way	**1** Gang	Normal Switch	Colossal
CS Cola Silver	**Blank**	**M**	**Blank**	**2**	**26**	**B**
PS Pearl Silver	Matching Colour Accent Frame	Rope Edge	**1** Way	**2** Gang	Retractive Switch	Alpine/Exclusif
TG Titanium Gold				**3**	**813**	**E**
CGO Coffee Gold				**3** Gang	13A Socket	Unique
MG Matt Gold				**4**	**80**	**M**
				4 Gang	Telecommunication Product	Metalclad
				5		**P**
				5 Gang		Armor

Dimensions

Unit: mm