

metalclad

Constructed from a tough metal alloy, these heavy-duty switches offer impact resistant / durable performance. For industrial or commercial use or applications that require a durable product at a competitive price.



Metal plate and box combination pre-finished with a sprayed plastic coating for a strong durable finish that holds up in tough conditions




Quality component material guarantees first-rate electrical



Suitable for surface mounted industrial or commercial installations



M2114
6A 4 Gang 1Way Switch



Note that: our Modules catalogue (re-name Deco catalogue at tjelec.com) download offers a wide variety of combinations to use with MetalClad.



M1121+W8727
16A 250V 1 gang 2 pin schuko



M1121+W8318A
13A 3 Pin Universal
Socket



M1121+W8416V
16A 3 Pin Euro-American
Socket





M1121+W8810V
10A 3 Pin Socket

Note that: our Modules catalogue (re-name Deco catalogue at tjelec.com) download offers a wide variety of combinations to use with MetalClad.

Switches

Product	Model No.	Description	Remarks
	M2111A M2111A-2 M2115 M2120	6A 1 Gang 1 Way Switch 6A 1 Gang 2 Way Switch 6A 1 Gang Intermediate Switch 20A 1 Gang DP Switch	Nominal plate size: 79×79 mm Minimum wall box depth: 40 mm Pack (carton / box): 50 / 10
	M2511 M2511-2	10A 1 Gang 1 Way Switch 10A 1 Gang 2 Way Switch	Nominal plate size: 79×79 mm Minimum wall box depth: 40 mm Pack (carton / box): 50 / 10
	M2120L	20A 1 Gang DP Switch with neon	Nominal plate size: 79×79 mm Minimum wall box depth: 40 mm Pack (carton / box): 50 / 10
	M2112A M2112A-2	6A 2 Gang 1 Way Switch 6A 2 Gang 2 Way Switch	Nominal plate size: 79×79 mm Minimum wall box depth: 40 mm Pack (carton / box): 50 / 10
	M2512 M2512-2	10A 2 Gang 1 Way Switch 10A 2 Gang 2 Way Switch	Nominal plate size: 79×79 mm Minimum wall box depth: 40 mm Pack (carton / box): 50 / 10
	M2113A M2113A-2	6A 3 Gang 1 Way Switch 6A 3 Gang 2 Way Switch	Nominal plate size: 79×79 mm Minimum wall box depth: 40 mm Pack (carton / box): 50 / 10
	M2513 M2513-2	10A 3 Gang 1 Way Switch 10A 3 Gang 2 Way Switch	Nominal plate size: 79×79 mm Minimum wall box depth: 40 mm Pack (carton / box): 50 / 10
	M2114 M2114-2	6A 4 Gang 1 Way Switch 6A 4 Gang 2 Way Switch	Nominal plate size: 139×79 mm Minimum wall box depth: 40 mm Pack (carton / box): 25 / 5
	M2514 M2514-2	10A 4 Gang 1 Way Switch 10A 4 Gang 2 Way Switch	Nominal plate size: 139×79 mm Minimum wall box depth: 40 mm Pack (carton / box): 25 / 5
	M2516 M2516-2	10A 6 Gang 1 Way Switch 10A 6 Gang 2 Way Switch	Nominal plate size: 139×79 mm Minimum wall box depth: 40 mm Pack (carton / box): 25 / 5


Switches

Product	Model No.	Description	Remarks
	M2145	45A 1 Gang DP Switch	Nominal plate size: 79×79 mm Minimum wall box depth: 40 mm Pack (carton / box): 50 / 10
	M2145L	45A 1 Gang DP Switch with neon	Nominal plate size: 79×79 mm Minimum wall box depth: 40 mm Pack (carton / box): 50 / 10
	M2145D	45A 1 Gang DP Switch	Nominal plate size: 139×79 mm Minimum wall box depth: 40 mm Pack (carton / box): 25 / 5
	M2145DL	45A 1 Gang DP Switch with neon	Nominal plate size: 139×79 mm Minimum wall box depth: 40 mm Pack (carton / box): 25 / 5
	M2148	45A Cooker Control Unit + 13A Switched Socket	Nominal plate size: 139×79 mm Minimum wall box depth: 40 mm Pack (carton / box): 25 / 5
	M2148L	45A Cooker Control Unit + 13A Switched Socket with neon	Nominal plate size: 139×79 mm Minimum wall box depth: 40 mm Pack (carton / box): 25 / 5


BS Sockets

Product	Model No.	Description	Remarks
	M8902	2A 1 Gang Socket	Nominal plate size: 79×79 mm Minimum wall box depth: 40 mm Pack (carton / box): 50 / 10
	M8905	5A 1 Gang Socket	Nominal plate size: 79×79 mm Minimum wall box depth: 40 mm Pack (carton / box): 50 / 10
	M8915	15A 1 Gang Socket	Nominal plate size: 79×79 mm Minimum wall box depth: 40 mm Pack (carton / box): 50 / 10

BS Sockets

Product	Model No.	Description	Remarks
	M8515S	15A 1 Gang Switched Socket	Nominal plate size: 79×79 mm Minimum wall box depth: 40 mm Pack (carton / box): 50 / 10
	M8515SL	15A 1 Gang Switched Socket with neon	Nominal plate size: 79×79 mm Minimum wall box depth: 40 mm Pack (carton / box): 50 / 10
	M8913A	13A 1 Gang Socket	Nominal plate size: 79×79 mm Minimum wall box depth: 40 mm Pack (carton / box): 50 / 10
	M8913SA	13A 1 Gang Switched Socket	Nominal plate size: 79×79 mm Minimum wall box depth: 40 mm Pack (carton / box): 50 / 10
	M8913SLA	13A 1 Gang Switched Socket with neon	Nominal plate size: 79×79 mm Minimum wall box depth: 40 mm Pack (carton / box): 50 / 10
	M8913DA	13A 2 Gang Socket	Nominal plate size: 139×79 mm Minimum wall box depth: 40 mm Pack (carton / box): 25 / 5
	M8913SDA	13A 2 Gang Switched Socket	Nominal plate size: 139×79 mm Minimum wall box depth: 40 mm Pack (carton / box): 25 / 5
	M8913SDR	13A 2 Gang Switched Socket (red coloured switch)	Nominal plate size: 139×79 mm Minimum wall box depth: 40 mm Pack (carton / box): 25 / 5
	M8913RCD2N	13A 2 Gang Socket with RCD	Nominal plate size: 142×92 mm Minimum wall box depth: 45.5 mm Pack (carton / box): 25 / 5
	M8913RCD1N	13A 1 Gang Socket with RCD	Nominal plate size: 142×92 mm Minimum wall box depth: 45.5 mm Pack (carton / box): 25 / 5
	M8913SDLA	13A 2 Gang Switched Socket with neon	Nominal plate size: 139×79 mm Minimum wall box depth: 40 mm Pack (carton / box): 25 / 5

Universal Sockets

Product	Model No.	Description	Remarks
	M8916	10A 1 Gang 2 Pin Socket	Nominal plate size: 79×79 mm Minimum wall box depth: 40 mm Pack (carton / box): 50 / 10
	M8528SD	13A 2 Gang 2 Pin + Earth Switched Universal Socket	Nominal plate size: 139×79 mm Minimum wall box depth: 40 mm Pack (carton / box): 25 / 5

Television Sockets

Product	Model No.	Description	Remarks
	M8911	1 Gang TV Socket	Nominal plate size: 79×79 mm Minimum wall box depth: 40 mm Pack (carton / box): 50 / 10
	M8909	1 Gang Sat. TV Socket	Nominal plate size: 79×79 mm Minimum wall box depth: 40 mm Pack (carton / box): 50 / 10



Hotel Products

Product	Model No.	Description	Remarks
	M8988D	115/230V Shaver Socket with overcurrent protection (max:20VA)	Nominal plate size: 139×79 mm Minimum wall box depth: 40 mm Pack (carton / box): 25 / 5

Telecommunication Products

Product	Model No.	Description	Remarks
	M8901TM	1 Gang BT Master Telephone Socket	Nominal plate size: 79×79 mm Minimum wall box depth: 40 mm Pack (carton / box): 50 / 10
	M8901TS	1 Gang BT Secondary Telephone Socket	Nominal plate size: 79×79 mm Minimum wall box depth: 40 mm Pack (carton / box): 50 / 10

Accessories

Product	Model No.	Description	Remarks
	M1101	1 Gang Blank Plate	Nominal plate size: 79×79 mm Minimum wall box depth: 40 mm Pack (carton / box): 50 / 10
	M1101D	2 Gang Blank Plate	Nominal plate size: 139×79 mm Minimum wall box depth: 40 mm Pack (carton / box): 25 / 5
	M1121	2 Gang Frame with mounting bracket(for Deco Modular)	Nominal plate size: 79×79mm Pack (carton / box): 50/10
	M1121D	4 Gang Frame with mounting bracket(for Deco Modular)	Nominal plate size: 139×79mm Pack (carton / box): 25/5
	M6913FA	13A Fused Connection Unit	Nominal plate size: 79×79 mm Minimum wall box depth: 40 mm Pack (carton / box): 50 / 10
	M6913FSA	13A Switched Fused Connection Unit	Nominal plate size: 79×79 mm Minimum wall box depth: 40 mm Pack (carton / box): 50 / 10
	M6813FS	13A Switched Fused Connection Unit	Nominal plate size: 79×79 mm Minimum wall box depth: 40 mm Pack (carton / box): 50 / 10
	M6813FSL	13A Switched Fused Connection Unit with neon	Nominal plate size: 79×79 mm Minimum wall box depth: 40 mm Pack (carton / box): 50 / 10
	M6913FLA	13A Fused Connection Unit with neon	Nominal plate size: 79×79 mm Minimum wall box depth: 40 mm Pack (carton / box): 50 / 10
	M6913FSLA	13A Switched Fused Connection Unit with neon	Nominal plate size: 79×79 mm Minimum wall box depth: 40 mm Pack (carton / box): 50 / 10

Accessories			
Product	Model No.	Description	Remarks
	M6913FFOA	13A Fused Connection Unit with flex outlet	Nominal plate size: 79×79 mm Minimum wall box depth: 40 mm Pack (carton / box): 50 / 10
	M6913FLFOA	13A Fused Connection Unit with flex outlet + neon	Nominal plate size: 79×79 mm Minimum wall box depth: 40 mm Pack (carton / box): 50 / 10

Accessories			
Product	Model No.	Description	Remarks
	M6913FSFOA	13A Switched Fused Connection Unit with flex outlet	Nominal plate size: 79×79 mm Minimum wall box depth: 40 mm Pack (carton / box): 50 / 10
	M6913FSLFOA	13A Switched Fused Connection Unit with flex outlet + neon	Nominal plate size: 79×79 mm Minimum wall box depth: 40 mm Pack (carton / box): 50 / 10
	M6913FSL	13A Switched Fused Connection Unit with neon	Nominal plate size: 79×79 mm Minimum wall box depth: 40 mm Pack (carton / box): 50 / 10
	M2128	LSC Plug and Socket	Nominal plate size: 79×79 mm Pack (carton / box): 50 / 10
	M1001	1 Gang Architrave Flush Galvanized Mounting Box	Nominal plate size: 74×27 mm Pack (carton / box): 200 / 10
	M1002	1 Gang Architrave Flush Galvanized Mounting Box	Nominal plate size: 74×27 mm Pack (carton / box): 200 / 10
	M1001D	2 Gang Architrave Flush Galvanized Mounting Box (25 mm deep)	Nominal plate size: 134×27 mm Pack (carton / box): 200 / 10

Accessories			
Product	Model No.	Description	Remarks
	M1002D	2 Gang Architrave Flush Galvanized Mounting Box (25 mm deep)	Nominal plate size: 134×27 mm Pack (carton / box): 200 / 10
	M1016	1 Gang 16 mm Folded Mounting Box	Nominal plate size: 72×72 mm Pack (carton / box): 100 / 10
	M1025	1 Gang 25 mm Folded Mounting Box	Nominal plate size: 72×72 mm Pack (carton / box): 100 / 10
	M1035	1 Gang 35 mm Folded Mounting Box	Nominal plate size: 72×72 mm Pack (carton / box): 100 / 10
	M1040	1 Gang 40 mm Mounting Box	Nominal plate size: 76×76 mm Pack (carton / box): 100 / 10
	M1047	1 Gang 47 mm Folded Mounting Box	Nominal plate size: 72×72 mm Pack (carton / box): 100 / 10
	M1025D	2 Gang 25 mm Folded Mounting Box	Nominal plate size: 132×72 mm Pack (carton / box): 100 / 10
	M1035D	2 Gang 35 mm Folded Mounting Box	Nominal plate size: 132×72 mm Pack (carton / box): 50 / 10
	M1040D	2 Gang 40 mm Mounting Box	Nominal plate size: 136×76 mm Pack (carton / box): 50 / 10
	M1047D	2 Gang 47 mm Folded Mounting Box	Nominal plate size: 132×72 mm Pack (carton / box): 50 / 5