



classy

Institutional grade design with elegant styling that offers you both durability, fashionable design and a wide range of multi-gang switch configurations and premium finishes. Perfect for the stylish high-end home, five star hotel, government building or “A” grade office building development.




Premium bakelite (urea) wall plates that are scratch and corrosion resistant, fire retardant, durable.




Wide variety of painted colours available with inner accent frame.



Heavy-duty construction with arc-shaped rocker for an elegant look.



Colour coded wiring connections for quick and safe installations.




New solid glass switch plates are available now!



Versatile combinations for 2 to 4 gang installations that meet a wide range of design needs and will ensure proper horizontal alignment.



R2700-TWH
1W Night Light



R801USB-WH
1 Gang USB Power Charger



R2C-DMB-MST
10A Bell Switch with "Do Not Disturb"
+ "Make Up Room" indicator



R813S-TTG
13A 1 Gang Switched Socket

Switches

Product	Model No.	Description	Remarks
	R271 R271-2 R271-DP R277 R221	16A 1 Gang 1 Way Switch 16A 1 Gang 2 Way Switch 20A 1 Gang DP Switch 10A 1 Gang Intermediate Switch 10A 1 Gang 2 Way Shutter Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R222	16A 1 Gang 2 Way Shutter Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	RB271	16A 1 Gang 1 Way Switch (glow in the dark rocker)	Nominal plate size: 115×115 mm Minimum wall box depth: 25 mm Pack (carton / box): 20 / 1
	R245	45A 1 Gang DP Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 60 / 10
	R245L	45A 1 Gang DP Switch with neon	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 60 / 10
	R271L R271L-2 R271L-DP RA271 RA271-2	16A 1 Gang 1 Way Switch with neon 16A 1 Gang 2 Way Switch with neon 20A 1 Gang DP Switch with neon 16A 1 Gang 1 Way Switch (glow in the dark rocker) 16A 1 Gang 2 Way Switch (glow in the dark rocker)	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R272 R272-2	16A 2 Gang 1 Way Switch 16A 2 Gang 2 Way Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R272L R272L-2 RA272 RA272-2	16A 2 Gang 1 Way Switch with neon 16A 2 Gang 2 Way Switch with neon 16A 2 Gang 1 Way Switch (glow in the dark rocker) 16A 2 Gang 2 Way Switch (glow in the dark rocker)	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R273 R273-2	16A 3 Gang 1 Way Switch 16A 3 Gang 2 Way Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R273L R273L-2 RA273 RA273-2	16A 3 Gang 1 Way Switch with neon 16A 3 Gang 2 Way Switch with neon 16A 3 Gang 1 Way Switch (glow in the dark rocker) 16A 3 Gang 2 Way Switch (glow in the dark rocker)	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10

Retractable Switches

Product	Model No.	Description	Remarks
	R271-B	16A 1 Gang Bell Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R261 R261-2	16A 1 Gang 1 Way Retractive Switch 16A 1 Gang 2 Way Retractive Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R261L R261L-2 RA261	16A 1 Gang 1 Way Retractive Switch with neon 16A 1 Gang 2 Way Retractive Switch with neon 16A 1 Gang 1 Way Retractive Switch (glow in the dark rocker)	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R262 R262-2	16A 2 Gang 1 Way Retractive Switch 16A 2 Gang 2 Way Retractive Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R262L R262L-2 RA262L RA262	16A 2 Gang 1 Way Retractive Switch with neon 16A 2 Gang 2 Way Retractive Switch with neon 16A 2 Gang 1 Way Retractive Switch (glow in the dark rocker) 16A 2 Gang 1 Way Retractive Switch (glow in the dark rocker)	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R263 R263-2	16A 3 Gang 1 Way Retractive Switch 16A 3 Gang 2 Way Retractive Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R263L	16A 3 Gang 1 Way Retractive Switch with neon	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10



Dimmers

Product	Model No.	Description	Remarks
	R211-1KM2	1000W 230V 1 Gang Dimmer (rotate on / off)	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 5 Only for use with incandescent lamps.
	R211-M2	630W 230V 1 Gang Dimmer (rotate on / off)	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 5 Only for use with incandescent lamps.

Dimmers

Product	Model No.	Description	Remarks
	R211S-M2 R211S-2M2	630W 230V 1 Gang Dimmer + 1 Gang 1 Way Switch (rotate on / off) 630W 230V 1 Gang Dimmer + 1 Gang 2 Way Switch (rotate on / off)	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 5 Only for use with incandescent lamps.
	R2-ED	630W 230V 1 Gang Dimmer Switch with off position	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 60 / 10 Only for use with incandescent lamps.

BS Sockets

Product	Model No.	Description	Remarks
	R813	13A 1 Gang Unswitched Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R813S R813S-DP	13A 1 Gang Switched Socket 13A 1 Gang DP Switched Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R813SL	13A 1 Gang Switched Socket with neon	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R813D	13A 2 Gang Unswitched Socket	Nominal plate size: 86×146 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 5
	R813SD R813SD-DP	13A 2 Gang Switched Socket 13A 2 Gang DP Switched Socket	Nominal plate size: 86×146 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 5
	R813SDL R813SDL-DP	13A 2 Gang Switched Socket with neon 13A 2 Gang DP Switched Socket with neon	Nominal plate size: 86×146 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 5
	R815S	15A 1 Gang Switched Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10

BS Sockets

Product	Model No.	Description	Remarks
	R815SL	15A 1 Gang Switched Socket with neon	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R8415V	15A 127V 1 Gang 2 Pin + Earth American Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10

Schuko Sockets

Product	Model No.	Description	Remarks
	R927	16A 1 Gang 2 Pin + Earth German Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 5

Universal Sockets

Product	Model No.	Description	Remarks
	R810U	16A 1 Gang 2 Pin Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R810US	10A 1 Gang 2 Pin Switched Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R810UV1	15A 1 Gang 2 Pin + Earth Euro American Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R810U2	16A 2 Gang 2 Pin Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R829	10A 1 Gang 2 Pin + 2 Pin + Earth Universal Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10

Audio and Video Products

Product	Model No.	Description	Remarks
	R2-V	1 Gang Volume Switch	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 5
	R3-V	6W 1 Gang Volume Switch with emergency alarm	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 5
	R2-SV	1 Gang Channel Selection Switch + Volume Switch (Dedicated Ceiling Loudspeaker or High-resistance Loudspeaker Box)	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 5
	R801-AO	1 Gang Audio RCA Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R802-AO	1 Gang Stereo Audio RCA Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R803-AVO R801AVO	1 Gang Video Socket + 1 Gang Stereo Audio RCA Socket 1 Gang Video Socket + 1 Gang Audio Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R801-MIC	1 Gang Microphone Socket (6.3 mm jack)	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R801-SB	1 Gang Speaker Socket (banana jack)	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R802-SB	2 Gang Speaker Socket (banana jack)	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 60 / 10
	R801HDMI	1 Gang HDMI Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 60 / 10
	R801VGA	1 Gang VGA Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 60 / 10

Telecommunication Products			
Product	Model No.	Description	Remarks
	R801USB	1 Gang 1A USB Power Charger	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 5
	R802USB	2 Gang 1A USB Power Charger	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 5
	R801TV R801TVO R803TVO	1 Gang TV Socket with surge protection 1 Gang TV Socket with 1 branch output + surge protection 1 Gang TV Socket with 3 branch output + surge protection	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R801ETV	1 Gang Sat. TV Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R803TV R802TV	2 Gang TV Socket with surge protection (2 input 2 output) 2 Gang TV Socket with surge protection (1 input 2 output)	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R802TV-FM	1 Gang TV + FM Socket with surge protection	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R802ETV	2 Gang Sat. TV Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R802ETV-FM	1 Gang Sat. TV + FM Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R801TV-4TU R801TV-PC	1 Gang TV Socket + 1 Gang RJ11 Telephone Socket (4 Pin) 1 Gang TV Socket + 1 Gang RJ45 Cat.5e Data Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R801-4TU R801-6TU	1 Gang RJ11 Telephone Socket (4 Pin) 1 Gang RJ12 Telephone Socket (6 Pin)	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10

Telecommunication Products			
Product	Model No.	Description	Remarks
	R801-TM R801-TS	1 Gang BT Master Telephone Socket 1 Gang BT Secondary Telephone Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R801-PC R811-PC	1 Gang RJ45 Cat.5e Data Socket 1 Gang RJ45 Cat.6 Data Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R802-4TU R802-6TU	2 Gang RJ11 Telephone Socket (4 Pin) 2 Gang RJ12 Telephone Socket (6 Pin)	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R804-PC	2 Gang RJ12 Telephone Socket (6 Pin)	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R802-PC R812-PC	2 Gang RJ45 Cat.5e Data Socket 2 Gang RJ45 Cat.6 Data Socket	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R801PC-4TU	1 Gang RJ45 Cat.5e Data Socket + RJ11 Telephone Socket (4 Pin)	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10

Hotel Products			
Product	Model No.	Description	Remarks
	R2C-DB	10A Bell Switch with "Do Not Disturb" indicator	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R2-AL	3A Alarm	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10
	R2C-DMB	10A Bell Switch with "Do Not Disturb" + "Make Up Room" indicator	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10

Hotel Products

Product	Model No.	Description	Remarks
	R6-2KT	20A 100-240VAC Key Card Switch with time delay voltage drop	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 5
	R9-2KT	20A 100-240VAC 1 Gang High Frequency Key-card Switch with time delay, switching voltage drop	
	R8-KT9	10A 9-24V 1 Gang Low Frequency Key-card Switch with time delay, low voltage passive	
	R9-KT9	10A 9-24V 1 Gang High Frequency Key-card Switch with time delay, low voltage passive	
	R6-KT9	10A 9-24V 1 Gang Key-card Switch with time delay, low voltage passive	
	R8-2KT	20A 100-240VAC 1 Gang Low Frequency Key-card Switch with time delay, switching voltage drop	
	R828	115/230V Shaver Socket with overcurrent protection	Nominal plate size: 86×146 mm Minimum wall box depth: 47 mm Pack (carton / box): 10 / 1

Fan Controls

Product	Model No.	Description	Remarks
	R3C-M4	2A 230V 1 Gang Electronic Fan Control with speed indicator	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 5 For fan speed control of central A / C.
	R211-M3	400VA 230V 1 Gang Fan Control (rotate on / off)	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 5 Only for use with fans.

Electronic Switches

Product	Model No.	Description	Remarks
	R2-TS	150W 230V Touch Dimmer with LED indicator	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 60 / 10 Only for use with incandescent lamps.
	R2-ET	630W 230V 1 Gang Touch Dimmer with LED indicator + off position	
	R2-LTS	100W 230V Touch Dimmer with fire control outlet	
	R2-IR	1000W 230V IR Motion Detector	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 5 Only for use with incandescent lamps.
	R2-LIR	500W 230V IR Motion Detector with fire control outlet	
	R2700	1W 220V Floor Lamp	Nominal plate size: 86×86 mm Minimum wall box depth: 25 mm Pack (carton / box): 60 / 10 Only for use with incandescent lamps.






Electronic Switches

Product	Model No.	Description	Remarks
	R3-LIR	500W 230V IR Motion Detector with fire control outlet (single live line)	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 5 Only for use with incandescent lamps.
	R2-SC	100W 230V Voice + Light Activated Switch with time delay	Nominal plate size: 86×86 mm Minimum wall box depth: 35 mm Pack (carton / box): 60 / 10 Only for use with incandescent lamps.
	R2-LSC	500W 230V Voice + Light Activated Switch with time delay + fire control outlet	

Accessories

Product	Model No.	Description	Remarks
	R101	1 Gang Blank Plate	Nominal plate size: 86×86 mm Pack (carton / box): 200 / 20
	R101D	2 Gang Blank Plate	Nominal plate size: 86×146 mm Pack (carton / box): 60 / 10
	R150	1 Gang Accent Frame	Nominal plate size: 72×72 mm Pack (carton / box): 300 / 50
	R150D	2 Gang Accent Frame	Nominal plate size: 72×132 mm Pack (carton / box): 500 / 25
	R151	1 Gang Regular Frame (bakelite)	Nominal plate size: 86×86 mm Pack (carton / box): 200 / 20
	R161	1 Gang Regular Frame (polycarbonate)	Nominal plate size: 86×86 mm Pack (carton / box): 200 / 20
	R151D	2 Gang Regular Frame	Nominal plate size: 86×146 mm Pack (carton / box): 100 / 1

Accessories

Product	Model No.	Description	Remarks
	R152	1 Gang Rope Edge Frame	Nominal plate size: 86×86 mm Pack (carton / box): 200 / 20
	R152D	2 Gang Rope Edge Frame	Nominal plate size: 86×146 mm Pack (carton / box): 100 / 1
	R162	2 Gang Regular Frame	Nominal plate size: 86×162 mm Pack (carton / box): 100 / 1
	R163	3 Gang Regular Frame	Nominal plate size: 86×238 mm Pack (carton / box): 50 / 1
	R164	4 Gang Regular Frame	Nominal plate size: 86×314 mm Pack (carton / box): 50 / 1
	R165	5 Gang Regular Frame	Nominal plate size: 86×390 mm Pack (carton / box): 50 / 1
	R1150	1 Gang Mounting Box	Nominal plate size: 76×76×50 mm Pack (carton / box): 200 / 1
	R141	Mounting Box Alignment Clip	Nominal plate size: 66×10 mm Pack (carton / box): 3000 / 150
	R1201	2 Gang Modular Frame (Deco Modules)	Nominal plate size: 86×86 mm Pack (carton / box): 200 / 20




R271+R272+R273+R813S-TPS
Custom Built Product



R6-2KT-TPS
20A 100-240VAC Key Card Switch
with time delay voltage drop

Product Code Rules

Classy



Available Options

1	2	3	4	5	6	7
WH White	C	T	2	1	27	GE
IW Ivory White	Chrome Accent Frame	Regular Edge	2 Way	1 Gang	Normal Switch	Colossal
CS Cola Silver	Blank	M	Blank	2	26	B
PS Pearl Silver	Matching Colour Accent Frame	Rope Edge	1 Way	2 Gang	Retractive Switch	Alpine/Exclusif
TG Titanium Gold				3	813	HC
CGO Coffee Gold				3 Gang	13A Socket	Infinif
MG Matt Gold					80	M
Telecommunication Product						Metalclad
						E
						IP66 Armor

Dimensions

Unit: mm

