



**T&J** Electric www.tjelec.com info@tjelec.com





# **T&J** Electric

T&J Electric is first and foremost a manufacturer, we are one of the largest LV electrical switch and socket makers in the world, with a fully owned production facility with over 80,000 sqm "under roof".

supply market.

T&J Electric is one of the very few international wiring device brands that is installed in various properties of almost every major international 5 star hotel chain including Four Seasons, Oberoi, Hyatt, Marriott, Hilton, Intercontinental, Sofitel and the Waldorf Astoria.

T&J Electric continues to win wiring device supply contracts for some of the most prestigious hospitality projects worldwide and in general is conducting more business each day in in the MENA region, Europe, Asia, Latin America, Oceania and sub-Saharan Africa.


T&J Electric can supply a high-value product line factory-direct or through one of our industry-expert distribution partners for major new building or renovation projects that require standard and / or bespoke stainless steel, iron alloy, aluminium or plastic wall plates, hotel specialty products like shaver sockets or key cards, audio-video connections and a variety of multi-media hub solutions.


T&J manufactures IEC certified sockets in many different standards including British, German, French, Swiss, Italian, South African, Brazilian, American and NZ/Australian and is a leader in universal socket design.

Please connect with T&J Electric today for more details about our high-quality products or to schedule a visit to one of our international factory showrooms or with one of our expert industry distribution partners.

T&J Electric has manufactured British standard wiring devices sold in the UK market with a value in excess of USD 50 million over the past 20 years and now we will enter the continental European project

## Modern Contemporary Design





Wide selection of painted colours, simulated wood grain finishes, aluminium, premium 1.5 mm stainless steel - all wall plates are available in almost any finish imaginable to meet your interior design scheme and project specifications.

A variety of mechanisms are available, including most types of switches, certified power sockets in a wide variety of national standards, audio-video connections, telecoms, USB chargers and a complete line of hotel products.

Multi-gang plates (up to 5 gang) in polycarbonate, or stainless steel for a nearly unlimited variety of mechanism combinations to satisfy most project requirements.





֎ 26°

# Lavina 95



Bespoke (custom-made) products can be made to meet almost any specific end-user requirement from etched icons, text or patterns to special customised metal finishes or unique painted colours or electro-plated polycarbonate plates.





# Lavina 95

Switches	Madal Na	Descriptio	-	
Product	Model No.	Descriptio		
٥	JC271-B-W-A	10A 1 Gang 1 Way Bell Switch		
	JC271-W-A JC271-2-W-A JC261-W-A	10AX 1 Gang 1 Way Switch 10AX 1 Gang 2 Way Switch 10A 1 Gang 1 Way Retractive Switch		
	JC271L-W-A JC271L-2-W-A JC261L-W-A	10AX 1 Gang 1 Way Switch With LED Indicator 10AX 1 Gang 2 Way Switch With LED Indicator 10A 1 Gang 1 Way Retractive Switch With LED Indicator		
	JC272-W-A JC272-2-W-A JC262-W-A	10AX 2 Gang 1 Way Switch 10AX 2 Gang 1 Way Switch 10A 2 Gang 1 Way Retractive Switch		
	JC272L-W-A JC272L-2-W-A JC262L-W-A	10AX 2 Gang 1 Way Switch With LED Indicator 10AX 2 Gang 2 Way Switch With LED Indicator 10A 2 Gang 1 Way Retractive Switch With LED Indicator		
	JC273-W-A JC273-2-W-A JC263-W-A	10AX 3 Gang 1 Way Switch 10AX 3 Gang 2 Way Switch 10A 3 Gang 1 Way Retractive Switch		
Δ 🔻	JC223-W-A	10AX Blind Switch		
$ \begin{array}{c cc}                                   $	JC222A-W-A	6A 2 Gang 2 Way Shutter Switch With Center Off		
	JC2720L-DP-W-A	20AX 1 Gang DP Switch With LED Indicator		
	JC245L-W-A	45A 1 Gang DP Switch With LED Indicator		
	JC2721L-W-A	3.3-24V DC 1 Gang Smart Switch	Smart Switches 1 Gang : W4211QL-A1B 2 Gang : W4212QL-A1B	
	JC2722LA-W-A	3.3-24V DC 1+1 Gang Smart Switch	LED colour : Blue LED voltage : 3.3V DC (common cathode) Switch : 3.3~24V DC	
	JC2722L-W-A	3.3-24V DC 2 Gang Smart Switch	D1 D2 GND GND GND SW1 SW2 Com Com Com	
	JC2723L-W-A	3.3-24V DC 1+2 Gang Smart Switch	Smart switches must be used in conjunction with T&J Electric	
	JC2724LA-W-A	3.3-24V DC 2+2 Gang Smart Switch       B10 or B12 control modules         Please contact T&J Electric for more details		

Sockets		
Product	Model No.	Description
	JC8110CH-W-A	10A 1 Gang Swiss Socket (SEV Certified)
	JC8116CH-W-A	16A 1 Gang Swiss Socket (SEV Certified)
	JC8110-W-A	1 Gang 10A Brazilian Socket
	JC8120-W-A	1 Gang 20A Brazilian Socket
	JC813SA-W-A JC813SA-DP-W-A	13A 1 Gang British Switched Socket 13A 1 Gang British DP Switched Socket
р Ц Ц	JC818-W-A	13A 1 Gang 2 Pin + Earth Universal Socket
	JC8318S-W-A	13A 1 Gang Switched 2 Pin + Earth Universal Socket
	JC8318USBC-W-A	13A 1 Gang 2 Pin + Earth Universal Socket With 2 Gang USB Socket (2A)
	JC816U-W-A	16A 1 Gang 2 Pin + Earth German Socket (VDE Certified)
	JC816V-W-A	16A 1 Gang 2 Pin + Earth French Socket (VDE Certified)
D	JC8416U-W-A	10/16A 1 Gang 2 Pin Euro American Socket
00	JC8416U2-W-A	10/16A 2 Gang 2 Pin Euro American Socket
□ □ □	JC8416V-W-A	16A 1 Gang 2 Pin + Earth Universal Socket
	JC8315U-W-A	16A 1 Gang DP Flat Pin Socket
	JC8315V-W-A	15A 1 Gang 2 Pin + Earth Socket

## Lawima 95

Sockets		
Product	Model No.	Description
	JC8316V-W-A	16A 1 Gang Flat Pin Socket
	JC8810V-W-A	10A 2 Pin + Earth AUS/NZ Socket (horizontal)
	JC8814VS-W-A	10A 2 Pin + Earth AUS / NZ Socket (round earth pin, auto-disconnecting)
	JC8811V-W-A	10A 2 Pin + Earth AUS/NZ Socket (vertical)
	JC8710-W-A	10A/16A Universal Italian/Euro Socket
0 0	JC8706-W-A	6A 1 Gang 24V 2 Pin Socket
	JC8016-W-A	16A 1 Gang India/ South Africa Socket
	JC8515-W-A	15A 1 Gang BS Round Pin Socket
	JC8505-W-A	5A 1 Gang BS Round Pin Socket
ि छ -	JC8715-W-A	10A/15A 1 Gang 2 Pin Universal Socket
	JC8718-W-A	10A/16A 1 Gang Bi-passo Italian Socket
	JC8728-W-A	10A/16A 1 Gang Bi-passo/ schuko Universal Socket
	JC5601-W-A	20A 1 Gang Flex Outlet (pull-through cable)
8	JC525-W	25A Connection Unit
	JC813SD-W	13A 2 Gang British Switched Socket
aio aio	JC828-W	115/230V Shaver Socket With Overcurrent Protection

Hotel Series Product	Model No.	
TIOGUCE	Woder No.	
	JC801-B-W-A	24V Bell Push Switc
<b>9</b>	JC2C-DM-W-A	"Do Not Disturb" + "I
	JC2C-DMB-W-A	4A Bell Switch with "
	JC2743DMB-W-A	10A Bell Push Switc (low voltage pin head
	JC8201BE-W-A	Doorbell Buzzer
Co	JC2-AL-W-A	SOS Switch (Panic E
Ø	JC2-V-W-A	1 Gang Volume Swit
	JC2-LIR-W-A	1000W 230V IR Mot
	JC2-M2-W-A JC2-DCM2-W-A	600W 230V 1 Gang 1∼10V 1 Gang DC 0
	JC2-TC-W-A JC2-TC9-W-A	100-250V LCD Then 9-12V DC LCD Then
, ¢	JC6-2KT-W-A JC8-2KT-W-A JC9-2KT-W-A JC6-KT9-W-A JC8-KT9-W-A JC9-KT9-W-A	20A 100-240V Keycard Sw 20A 100-240V Low Frequer 20A 100-240V High Frequer 10A 9-24V Keycard Switch 10A 9-24V Low Frequency 10A 9-24V High Frequency
	JC1512-W-A+W2600	1W LED Night Light
	JC1512-W-A+W2747	3-400W 230V Dimm
	JC1512-W-A+W2726	400VA 230V Fan Co

\*note JC828, JC1514 and JC813SD all require twin 3 x 6 box

Description
Description
ch
"Make Up Room" Indicator
"Do Not Disturb" + "Make Up Room" indicator
ch With "Do Not Disturb" + "Make Up Room" indicator ader)
Button)
itch
tion Detector With Fire Control Outlet
g Dimmer (Push On/Off) Output Dimmer Only For Dimmable Electronic Ballast (Push On/Off)
rmostat rmostat
witch With Time Delay ency RFID Keycard Switch With Time Delay uency RFID Keycard Switch With Time Delay h With Time Delay, ELV, Dry-contact Output y RFID Keycard Switch WithTime Delay, ELV, Dry-contact Output cy RFID Keycard Switch With Time Delay, ELV, Dry-contact Output
t / Stair Indicator

mer (trailing edge,EMC,push on /off)

Control (push on /off)


### Lavina 95

Telecoms and A	A/V Model No.	Description
	JC8231PC-W-A JC8241PC-W-A	1 Gang RJ45 Cat.7 Data Socket 1 Gang RJ45 Cat.8 Data Socket
	JC821PC-W-A JC841PC-W-A	1 Gang RJ45 Cat.6 Data Socket 1 Gang RJ45 Cat.6a Data Socket
	JC822PC-W-A	2 Gang RJ45 Cat.6 Data Socket
	JC811-6TU-W-A	1 Gang RJ11 Telephone Socket (6 Pin)
	JC811PC-6TU-W-A	1 Gang RJ45 Cat.6 Data Socket + RJ11 Telephone Socket (6 Pin)
	JC801TV-PC-W-A	1 Gang TV Socket With Surge Protection + RJ45 Cat.6 Data Socket
	JC8201TM-W-A	1 Gang BT Master Telephone Socket
	JC801TV-W-A	1 Gang TV Socket With Surge Protection
	JC801ETV-W-A	1 Gang Sat.TV Socket
	JC801HDMI-W-A	1 Gang HDMI Outlet
	JC811AO-W-A	1 Gang Audio Outlet
	JC811VO-W-A	1 Gang Video RCA Outlet
	JC801AVO-W-A	1 Gang Video Socket + 1 Gang Stereo Audio RCA Outlet
	JC811VGA-W-A	1 Gang VGA Outlet (Double Female)
	JC811EO-W-A	1 Gang φ3.5 Stereo Headphone Outlet
	JC811USBA-W-A	1 Gang 2A USB Power Charger

Telecoms and A/V			
Product	Model No.	Description	
	JC8332LUSB-W-A	18W 100-240V Dual USB Power Charger	
	JC8211USB-W-A	USB Outlet (Data Only)	
	JC8102LUSB-W-A	Type C + Type A Quick Charger USB (quick charge is available if only one port is used)	
	JC1511-W-A	1 Gang Modular Plate	
	JC1512-W-A	2 Gang Modular Plate	
	JC1514-W-A	4 Gang Modular Plate	
	JC1401F	1 Gang Spray Proof Plate	
	JC1001-W-A	1 Gang Blank Plate	

Please contact us for a wider range of module selections, IP66/55 boxes, media hubs, and a variety of floor sockets that are not listed above.
Compatible with Palladiom frame by Lutron USA.






### Lavina 95

#### **Product Schematic Diagram**


Single gang Assembly

Multigang Assembly




Cover Plate Plate Mechanisms


Ordering Code For Plate



	Achitectural		Achitectural Metal
WH	White	SS	Stainless Steel
IW	Ivory White	MBR	Matt Brass
PS	Pearl Silver	PB	Polished Brass
CS	Cola Silver	PC	Polished Chrome
ST	Matt Black	BN	Black Nickel
CGO	Coffee Gold	BZ	Bronze
LWH	White	PN	Pearl Nickel
LAL	Almond	LBB	Bright Brass
LLA	Light Almond	LSB	Satin Brass
LIV	lvory	LBC	Bright Chrome
LBR	Brown	LSC	Satin Chrome
LGR	Gray	LBN	Bright Nickel
LBL	Black	LSN	Satin Nickel
LBE	Beige	LPG	Polised Graphite
LTP	Taupe	LQB	Antique Brass
LSI	Sienna	LQZ	Antique Bronze

For other colours and finishes, please contact T&J ELECTRIC.





J1040(Plastic Wall Box)


Plastic (Flush Mounting) Scale: r	mm Metal (Flush Mounting)
74.5 9 9 1040 42 1040	75.5 50 100 100 100 100 100 100 100
145.5 57 J1040x2	146.5 THE THE THE THE THE THE THE THE THE THE
216.5 5°F J1040x3	217.5
287.5 57 J1040x3	288.5
358.5 57 J1040x5	359.5 The The The The The The The The The The


Lavima 95

Wall Box

Wall Box

Scale: mm





M1047D



